



HARVEY

BUILDING PRODUCTS

Thermal Performance Data Harvey Replacement Windows & Patio Doors

U-Factor in accordance with NFRC-100-2004, based on whole window value.
To calculate R-value, divide 1 by the U-Factor (example: 1 div. by .35 = 2.86 R-value).
Test results subject to change due to periodic re-testing.
Tempered Low-E and Bronze tint glass will affect U-Factor, SHGc and VT numbers.

Window	Glazing	U	R	SHGc	VT	MEETS	ENERGY STAR
		Factor	Value			30/30	Compliance
Tribute Double Hung – Welded sash & frame <i>Tribute DH</i> <i>TG units are Foam Filled</i>	Tribute DG 2X Low-E/Argon SunClean™	0.30	3.33	0.20	0.36	YES	All Zones
	Tribute HP TG 2X Low-E/Krypton SunClean™ & SPF™	0.20	5.00	0.21	0.36	YES	All Zones
	Tribute DG 2X Low-E/Argon SunClean™ w/Grid	0.30	3.33	0.19	0.32	YES	All Zones
	Tribute HP TG 2X Low-E/Krypton SunClean™ & SPF™ w/Grid	0.20	5.00	0.19	0.32	YES	All Zones
Classic Double Hung – Welded sash & frame *0.35 value for Classic DH w/Low-E effective for windows manufactured after 12/01/06	Clear	0.48	2.08	0.57	0.61	---	---
	Low-E	0.35*	2.86	0.30	0.54	---	All Zones
	Low-E/Argon	0.32	3.13	0.30	0.54	---	All Zones
	2X Low-E/Argon	0.31	3.23	0.28	0.48	---	All Zones
	Federal Incentive Package <=0.30U/0.30SHGc	0.30	3.33	0.21	0.49	YES	All Zones
	Clear w/Grid	0.48	2.08	0.51	0.55	---	---
	Low-E w/Grid	0.35*	2.86	0.27	0.48	---	All Zones
	Low-E/Argon w/Grid	0.32	3.13	0.27	0.48	---	All Zones
	2X Low-E/Argon w/Grid	0.31	3.23	0.25	0.43	---	All Zones
	Federal Incentive Package w/Grid <=0.30U/0.30SHGc	0.30	3.33	0.19	0.43	YES	All Zones
Slimline Double Hung – Welded sash & frame	Clear	0.49	2.04	0.59	0.63	---	---
	Low-E	0.36	2.78	0.30	0.54	---	NC, SC, S
	Low-E/Argon	0.32	3.13	0.30	0.54	---	All Zones
	2X Low-E/Argon	0.32	3.13	0.28	0.47	---	All Zones
	Federal Incentive Package <=0.30U/0.30SHGc	0.30	3.33	0.21	0.50	YES	All Zones
	Clear w/Grid	0.49	2.04	0.53	0.56	---	---
	Low-E w/Grid	0.36	2.78	0.27	0.49	---	NC, SC, S
	Low-E/Argon w/Grid	0.32	3.13	0.27	0.49	---	All Zones
	2X Low-E/Argon w/Grid	0.32	3.13	0.26	0.42	---	All Zones
	Federal Incentive Package w/Grid <=0.30U/0.30SHGc	0.30	3.33	0.19	0.45	YES	All Zones
Slimline Single Hung – Welded sash & frame	Clear	0.49	2.04	0.59	0.63	---	---
	Low-E	0.36	2.78	0.30	0.54	---	NC, SC, S
	Low-E/Argon	0.32	3.13	0.30	0.54	---	All Zones
	2X Low-E/Argon	0.32	3.13	0.28	0.47	---	All Zones
	Federal Incentive Package <=0.30U/0.30SHGc	0.30	3.33	0.21	0.50	YES	All Zones
	Clear w/Grid	0.49	2.04	0.53	0.56	---	---
	Low-E w/Grid	0.36	2.78	0.27	0.49	---	NC, SC, S
	Low-E/Argon w/Grid	0.32	3.13	0.27	0.49	---	All Zones
	2X Low-E/Argon w/Grid	0.32	3.13	0.26	0.42	---	All Zones
	Federal Incentive Package w/Grid <=0.30U/0.30SHGc	0.30	3.33	0.19	0.45	YES	All Zones
Signature Welded DH – Welded sash and Mechanical frame Commercial Rated	Clear	0.48	2.08	0.56	0.59	---	---
	Low-E	0.36	2.78	0.28	0.52	---	NC, SC, S
	Low-E/Argon	0.33	3.03	0.28	0.52	---	All Zones
	Federal Incentive Package <=0.30U/0.30SHGc	0.30	3.33	0.20	0.46	YES	All Zones
	2X Low-E/Argon	0.33	3.03	0.26	0.46	---	All Zones
	Clear w/Grid	0.48	2.08	0.50	0.52	---	---
	Low-E w/Grid	0.36	2.78	0.26	0.46	---	NC, SC, S
	Low-E/Argon w/Grid	0.33	3.03	0.26	0.46	---	All Zones
Signature Double Hung – Mechanical sash & frame Commercial Rated	Clear	0.50	2.00	0.56	0.60	---	---
	Low-E	0.37	2.70	0.29	0.53	---	NC, SC, S
	Low-E/Argon	0.34	2.94	0.29	0.53	---	All Zones
	2X Low-E/Argon	0.33	3.03	0.27	0.48	---	All Zones
	Federal Incentive Package <=0.30U/0.30SHGc	0.30	3.33	0.19	0.38	YES	All Zones
	Clear w/Grid	0.50	2.00	0.50	0.53	---	---
	Low-E w/Grid	0.37	2.70	0.26	0.47	---	NC, SC, S
	Low-E/Argon w/Grid	0.34	2.94	0.26	0.47	---	All Zones
	2X Low-E/Argon w/Grid	0.33	3.03	0.25	0.42	---	All Zones
	Federal Incentive Package w/Grid <=0.30U/0.30SHGc	0.30	3.33	0.17	0.34	YES	All Zones



HARVEY

BUILDING PRODUCTS

Thermal Performance Data Harvey Replacement Windows & Patio Doors

U-Factor in accordance with NFRC-100-2004, based on whole window value.
To calculate R-value, divide 1 by the U-Factor (example: 1 div. by .35 = 2.86 R-value).
Test results subject to change due to periodic re-testing.
Tempered Low-E and Bronze tint glass will affect U-Factor, SHGc and VT numbers.

Window	Glazing	U	R	SHGc	VT	MEETS	ENERGY STAR	
		Factor	Value			30/30	Compliance	
Vinyl Casement, Awning & Fixed Lite Casement	Clear	0.44	2.27	0.45	0.47	---	---	
	Low-E	0.33	3.03	0.23	0.42	---	All Zones	
	Federal Incentive Package <=0.30U/0.30SHGc	0.30	3.33	0.23	0.42	YES	All Zones	
	2X Low-E/Argon	0.30	3.33	0.22	0.37	YES	All Zones	
	Tribute DG 2X Low-E/Argon SunClean™	0.30	3.33	0.19	0.32	YES	All Zones	
	Tribute HP TG 2X Low-E/Krypton SunClean™ & SPF™	0.22	4.55	0.17	0.29	YES	All Zones	
	Clear w/Grid	0.44	2.27	0.40	0.42	---	---	
	Low-E w/Grid	0.34	2.94	0.21	0.38	---	All Zones	
	Federal Incentive Package w/Grid <=0.30U/0.30SHGc	0.30	3.33	0.21	0.38	YES	All Zones	
	2X Low-E/Argon w/Grid	0.30	3.33	0.20	0.34	YES	All Zones	
	Tribute DG 2X Low-E/Argon SunClean™ w/Grid	0.30	3.33	0.17	0.29	YES	All Zones	
	Tribute HP TG 2X Low-E/Krypton SunClean™ & SPF™ w/Grid	0.23	4.35	0.16	0.26	YES	All Zones	
	Vinyl Picture Window	Clear	0.45	2.22	0.61	0.65	---	---
		Low-E	0.31	3.23	0.31	0.58	---	All Zones
Low-E/Argon		0.27	3.70	0.31	0.58	---	All Zones	
Federal Incentive Package <=0.30U/0.30SHGc		0.27	3.70	0.22	0.51	YES	All Zones	
2X Low-E/Argon		0.26	3.85	0.29	0.51	YES	All Zones	
Tribute DG 2X Low-E/Argon SunClean™		0.26	3.85	0.25	0.44	YES	All Zones	
Tribute HP TG 2X Low-E/Krypton SunClean™ & SPF™		0.18	5.56	0.23	0.40	YES	All Zones	
Clear w/Grid		0.45	2.22	0.54	0.58	---	---	
Low-E w/Grid		0.31	3.23	0.28	0.52	---	All Zones	
Low-E/Argon w/Grid		0.27	3.70	0.28	0.52	YES	All Zones	
Federal Incentive Package w/Grid <=0.30U/0.30SHGc		0.27	3.70	0.20	0.46	YES	All Zones	
2X Low-E/Argon w/Grid		0.26	3.85	0.26	0.46	YES	All Zones	
Tribute DG 2X Low-E/Argon SunClean™ w/Grid		0.26	3.85	0.23	0.39	YES	All Zones	
Tribute HP TG 2X Low-E/Krypton SunClean™ & SPF™ w/Grid		0.18	5.56	0.21	0.36	YES	All Zones	
Vinyl Designer Shape	Clear	0.47	2.13	0.66	0.71	---	---	
	Low-E	0.32	3.13	0.34	0.63	---	All Zones	
	Low-E/Argon	0.28	3.57	0.34	0.63	---	All Zones	
	2X Low-E/Argon	0.27	3.70	0.32	0.56	---	All Zones	
	Federal Incentive Package <=0.30U/0.30SHGc	0.27	3.70	0.24	0.56	YES	All Zones	
	Tribute DG 2X Low-E/Argon SunClean™	0.27	3.70	0.28	0.48	YES	All Zones	
	Clear w/Grid	0.47	2.13	0.60	0.64	---	---	
	Low-E w/Grid	0.32	3.13	0.31	0.57	---	All Zones	
	Low-E/Argon w/Grid	0.28	3.57	0.31	0.57	---	All Zones	
	2X Low-E/Argon w/Grid	0.27	3.70	0.29	0.50	YES	All Zones	
	Federal Incentive Package w/Grid <=0.30U/0.30SHGc	0.27	3.70	0.22	0.50	YES	All Zones	
	Tribute DG 2X Low-E/Argon SunClean™ w/Grid	0.27	3.70	0.25	0.43	YES	All Zones	
	Vinyl Rolling Window	Clear	0.50	2.00	0.61	0.64	---	---
		Low-E	0.37	2.70	0.31	0.57	---	NC, SC, S
Low-E/Argon		0.33	3.03	0.31	0.57	---	All Zones	
2X Low-E/Argon		0.33	3.03	0.29	0.51	---	All Zones	
Tribute DG 2X Low-E/Argon SunClean™		0.33	3.03	0.25	0.43	---	All Zones	
Tribute HP TG 2X Low-E/Krypton SunClean™ & SPF™		0.22	4.55	0.23	0.39	YES	All Zones	
Clear w/Grid		0.50	2.00	0.55	0.57	---	---	
Low-E w/Grid		0.37	2.70	0.28	0.51	---	NC, SC, S	
Low-E/Argon w/Grid		0.33	3.03	0.28	0.51	---	All Zones	
2X Low-E/Argon w/Grid		0.33	3.03	0.26	0.45	---	All Zones	
Tribute DG 2X Low-E/Argon SunClean™ w/Grid		0.33	3.03	0.22	0.38	---	All Zones	
Tribute HP TG 2X Low-E/Krypton SunClean™ & SPF™ w/Grid		0.22	4.55	0.21	0.35	YES	All Zones	



Thermal Performance Data Harvey Replacement Windows & Patio Doors

U-Factor in accordance with NFRC-100-2004, based on whole window value.
To calculate R-value, divide 1 by the U-Factor (example: 1 div. by .35 = 2.86 R-value).
Test results subject to change due to periodic re-testing.
Tempered Low-E and Bronze tint glass will affect U-Factor, SHGc and VT numbers.

Window	Glazing	U	R	SHGc	VT	MEETS	ENERGY STAR
		Factor	Value			30/30	Compliance
Vinyl Hopper	Clear	0.49	2.04	0.53	0.56	---	---
	Low-E	0.37	2.70	0.28	0.50	---	NC, SC, S
	Low-E/Argon	0.34	2.94	0.28	0.50	---	All Zones
	2X Low-E/Argon	0.34	2.94	0.22	0.29	---	All Zones
	Tribute DG 2X Low-E/Argon SunClean™	0.34	2.94	0.23	0.39	---	All Zones
	Tribute HP TG 2X Low-E/Krypton SunClean™ & SPF™	0.24	4.17	0.21	0.35	YES	All Zones
	Clear w/Grid	0.49	2.04	0.48	0.51	---	---
	Low-E w/Grid	0.37	2.70	0.25	0.45	---	NC, SC, S
	Low-E/Argon w/Grid	0.34	2.94	0.25	0.45	---	All Zones
	2X Low-E/Argon w/Grid	0.34	2.94	0.20	0.27	---	All Zones
	Tribute DG 2X Low-E/Argon SunClean™ w/Grid	0.34	2.94	0.21	0.35	---	All Zones
	Tribute HP TG 2X Low-E/Krypton SunClean™ & SPF™ w/Grid	0.24	4.17	0.19	0.31	YES	All Zones
Vinyl Deadlite	Clear	0.49	2.04	0.66	0.70	---	---
	Low-E	0.35	2.86	0.34	0.62	---	All Zones
	Low-E/Argon	0.31	3.23	0.34	0.62	---	All Zones
	2X Low-E/Argon	0.30	3.33	0.32	0.55	---	All Zones
	Federal Incentive Package <=0.30U/0.30SHGc	0.30	3.33	0.24	0.56	YES	All Zones
	Tribute DG 2X Low-E/Argon SunClean™	0.30	3.33	0.28	0.48	YES	All Zones
	Tribute HP TG 2X Low-E/Krypton SunClean™ & SPF™	0.19	5.26	0.25	0.43	YES	All Zones
	Clear w/Grid	0.49	2.04	0.59	0.63	---	---
	Low-E w/Grid	0.35	2.86	0.31	0.56	---	All Zones
	Low-E/Argon w/Grid	0.31	3.23	0.31	0.56	---	All Zones
	2X Low-E/Argon w/Grid	0.30	3.33	0.29	0.50	YES	All Zones
	Federal Incentive Package w/Grid <=0.30U/0.30SHGc	0.30	3.33	0.22	0.50	YES	All Zones
Tribute DG 2X Low-E/Argon SunClean™ w/Grid	0.30	3.33	0.25	0.43	YES	All Zones	
Tribute HP TG 2X Low-E/Krypton SunClean™ & SPF™ w/Grid	0.19	5.26	0.23	0.39	YES	All Zones	
Vinyl Patio Door	Clear	0.46	2.17	0.54	0.59	---	---
	Low-E	0.35	2.86	0.29	0.53	---	All Zones
	Low-E/Argon	0.31	3.23	0.29	0.53	---	All Zones
	2X Low-E/Argon	0.31	3.23	0.27	0.41	---	All Zones
	Tribute DG 2X Low-E/Argon SunClean™	0.31	3.23	0.23	0.41	---	All Zones
	Federal Incentive Package <=0.30U/0.30SHGc	0.30	3.33	0.24	0.42	YES	All Zones
	Tribute HP TG 2X Low-E/Krypton SunClean™	0.21	4.76	0.25	0.43	YES	All Zones
	Clear w/Grid	0.46	2.17	0.48	0.51	---	---
	Low-E w/Grid	0.35	2.86	0.25	0.46	---	All Zones
	Low-E/Argon w/Grid	0.31	3.23	0.25	0.46	---	All Zones
	2X Low-E/Argon w/Grid	0.31	3.23	0.24	0.41	---	All Zones
	Tribute DG 2X Low-E/Argon SunClean™ w/Grid	0.31	3.23	0.21	0.35	---	All Zones
Federal Incentive Package w/Grid <=0.30U/0.30SHGc	0.30	3.33	0.21	0.37	YES	All Zones	
Tribute HP TG 2X Low-E/Krypton SunClean™ w/Grid (NO SPF)	0.21	4.76	0.22	0.37	YES	All Zones	
Vigilance Double Hung – Impact Resistant	Low-E/Argon	0.30	3.33	0.23	0.51	YES	All Zones
	Low-E/Argon w/Grid	0.31	3.23	0.23	0.45	---	All Zones
	Federal Incentive Package w/Grid <=0.30U/0.30SHGc	0.30	3.33	0.18	0.40	YES	All Zones
Vigilance Casement – Impact Resistant	Low-E/Argon	0.30	3.33	0.26	0.47	YES	All Zones
	Low-E/Argon w/Grid	0.30	3.33	0.24	0.43	YES	All Zones
Vigilance Picture Window – Impact Resistant	Low-E/Argon	0.27	3.70	0.35	0.56	---	All Zones
	Federal Incentive Package <=0.30U/0.30SHGc	0.27	3.70	0.29	0.50	YES	All Zones
	Low-E/Argon w/Grid	0.27	3.70	0.32	0.56	---	All Zones
	Federal Incentive Package w/Grid <=0.30U/0.30SHGc	0.27	3.70	0.26	0.45	YES	All Zones
Vigilance Patio Door – Impact Resistant	Low-E/Argon	0.28	3.57	0.26	0.43	YES	All Zones
	Low-E/Argon w/Grid	0.28	3.57	0.24	0.41	YES	All Zones



Thermal Performance Data Harvey Replacement Windows & Patio Doors

U-Factor in accordance with NFRC-100-2004, based on whole window value.
To calculate R-value, divide 1 by the U-Factor (example: 1 div. by .35 = 2.86 R-value).
Test results subject to change due to periodic re-testing.
Tempered Low-E and Bronze tint glass will affect U-Factor, SHGc and VT numbers.

Window	Glazing	U	R	SHGc	VT	MEETS	ENERGY STAR
		Factor	Value			30/30	Compliance
Majesty Double Hung	2X Low-E/Argon	0.34	2.94	0.26	0.46	---	All Zones
	2X Low-E/Argon w/Grid	0.35	2.86	0.24	0.41	---	All Zones
Majesty Picture Window	2X Low-E/Argon	0.32	3.13	0.27	0.48	---	All Zones
	2X Low-E/Argon w/Grid	0.33	3.03	0.25	0.42	---	All Zones
Majesty Fixed Casement	2X Low-E/Argon	0.32	3.13	0.30	0.52	---	All Zones
	2X Low-E/Argon w/Grid	0.32	3.13	0.27	0.46	---	All Zones
Majesty Casement	2X Low-E/Argon	0.36	2.78	0.26	0.45	---	NC, SC, S
	2X Low-E/Krypton	0.35	2.86	0.26	0.46	---	All Zones
	2X Low-E/Argon w/Grid	0.36	2.78	0.24	0.41	---	NC, SC, S
	2X Low-E/Krypton w/Grid	0.35	2.86	0.24	0.41	---	All Zones
Majesty Awning	2X Low-E/Argon	0.36	2.78	0.26	0.45	---	NC, SC, S
	2X Low-E/Krypton	0.35	2.86	0.26	0.46	---	All Zones
	2X Low-E/Argon w/Grid	0.36	2.78	0.24	0.41	---	NC, SC, S
	2X Low-E/Krypton w/Grid	0.35	2.86	0.24	0.41	---	All Zones

Classic Acoustic Double Hung – STC40 and 44	Clear I.G.	0.33	3.03	0.52	0.57	---	All Zones
	Low-E I.G.	0.26	3.85	0.29	0.50	YES	All Zones
	Low-E/Argon I.G.	0.24	4.17	0.29	0.50	YES	All Zones
	2X Low-E/Argon I.G.	0.24	4.17	0.28	0.44	YES	All Zones
	Clear I.G. w/Grid	0.33	3.03	0.47	0.50	---	All Zones
Acoustic Picture Window – STC40	Low-E w/Grid	0.26	3.85	0.26	0.45	YES	All Zones
	Low-E/Argon w/Grid	0.24	4.17	0.26	0.45	YES	All Zones
	2X Low-E/Argon w/Grid	0.24	4.17	0.25	0.40	YES	All Zones
	Clear I.G.	0.31	3.23	0.53	0.58	---	All Zones
	Low-E I.G.	0.23	4.35	0.30	0.52	YES	All Zones
Acoustic Picture Window – STC44	Low-E/Argon I.G.	0.21	4.76	0.30	0.52	YES	All Zones
	2X Low-E/Argon I.G.	0.21	4.76	0.29	0.46	YES	All Zones
	Clear I.G. w/Grid	0.31	3.23	0.48	0.52	---	All Zones
	Low-E w/Grid	0.23	4.35	0.28	0.46	YES	All Zones
	Low-E/Argon w/Grid	0.21	4.76	0.28	0.46	YES	All Zones
Acoustic Picture Window – STC44	2X Low-E/Argon w/Grid	0.21	4.76	0.26	0.41	YES	All Zones
	Clear I.G.	0.32	3.13	0.54	0.60	---	All Zones
	Low-E I.G.	0.24	4.17	0.30	0.53	YES	All Zones
	Low-E/Argon I.G.	0.22	4.55	0.30	0.53	YES	All Zones
	2X Low-E/Argon I.G.	0.21	4.76	0.29	0.47	YES	All Zones
Acoustic Rolling Window (2- and 3-Lite) – STC40 and 44	Clear I.G. w/Grid	0.32	3.13	0.49	0.54	---	All Zones
	Low-E w/Grid	0.24	4.17	0.29	0.48	YES	All Zones
	Low-E/Argon w/Grid	0.22	4.55	0.28	0.48	YES	All Zones
	2X Low-E/Argon w/Grid	0.21	4.76	0.26	0.42	YES	All Zones
	Clear I.G.	0.34	2.94	0.50	0.55	---	All Zones
Acoustic Casement Window – STC40	Low-E I.G.	0.26	3.85	0.28	0.48	YES	All Zones
	Low-E/Argon I.G.	0.25	4.00	0.28	0.48	YES	All Zones
	2X Low-E/Argon I.G.	0.24	4.17	0.26	0.43	YES	All Zones
	Clear I.G. w/Grid	0.34	2.94	0.45	0.48	---	All Zones
	Low-E w/Grid	0.26	3.85	0.25	0.43	YES	All Zones
Acoustic Casement Window – STC40	Low-E/Argon w/Grid	0.25	4.00	0.25	0.43	YES	All Zones
	2X Low-E/Argon w/Grid	0.24	4.17	0.24	0.38	YES	All Zones
	Clear I.G.	0.31	3.23	0.45	0.50	---	All Zones
	Low-E I.G.	0.25	4.00	0.24	0.44	YES	All Zones
	Low-E/Argon I.G.	0.24	4.17	0.24	0.44	YES	All Zones
Acoustic Casement Window – STC40	2X Low-E/Argon I.G.	0.23	4.35	0.23	0.39	YES	All Zones
	Clear I.G. w/Grid	0.31	3.23	0.41	0.45	---	All Zones
	Low-E w/Grid	0.25	4.00	0.22	0.40	YES	All Zones
	Low-E/Argon w/Grid	0.24	4.17	0.22	0.40	YES	All Zones
	2X Low-E/Argon w/Grid	0.23	4.35	0.21	0.36	YES	All Zones




Thermal Performance Data
Harvey Replacement Windows & Patio Doors

U-Factor in accordance with NFRC-100-2004, based on whole window value.
To calculate R-value, divide 1 by the U-Factor (example: 1 div. by .35 = 2.86 R-value).
Test results subject to change due to periodic re-testing.
Tempered Low-E and Bronze tint glass will affect U-Factor, SHGc and VT numbers.

ENERGY STAR® Information

Windows and doors with .35 U-Factor or lower are ENERGY STAR qualified in New England, NJ, NY and PA.
Visit www.energystar.gov for details.
The use of tempered Low-E glass may effect ENERGY STAR qualification in your region.

ENERGY STAR® for Windows, Doors, and Skylights
CLIMATE ZONE MAP



Windows & Doors

Climate Zone	U-Factor ¹	SHGC ²	
Northern	≤ 0.35	Any	
North/Central	≤ 0.40	≤ 0.55	
South/Central	≤ 0.40	≤ 0.40	Prescriptive
	≤ 0.41	≤ 0.36	Equivalent Performance (Excluding CA) <i>Products meeting these criteria also qualify in the Southern zone.</i>
	≤ 0.42	≤ 0.31	
	≤ 0.43	≤ 0.24	
Southern	≤ 0.65	≤ 0.40	Prescriptive
	≤ 0.66	≤ 0.39	Equivalent Performance
	≤ 0.67		
	≤ 0.68		
	≤ 0.69		
	≤ 0.70		
	≤ 0.71		
	≤ 0.72		
	≤ 0.73		
	≤ 0.74		
≤ 0.75			

Skylights

Climate Zone	U-Factor ¹		SHGC ²
	2001 NFRC rated at 20° ³	RES97 rated at 90° ⁴	
Northern	≤ 0.60	≤ 0.45	Any
North/Central	≤ 0.60	≤ 0.45	≤ 0.40
South/Central	≤ 0.60	≤ 0.45	≤ 0.40
Southern	≤ 0.75	≤ 0.75	≤ 0.40

¹ Btu/h.ft².°F

² Fraction of incident solar radiation.

³ U-Factor qualification criteria based on 2001 NFRC simulation and certification procedures that rate skylights at a 20-degree angle. Although reported U-Factor is higher than RES97 rated products, energy performance at the ENERGY STAR minimum qualifying level is equivalent.

⁴ NFRC certification using the 1997 NFRC procedures for residential windows (RES 97) that rated skylights at a 90-degree angle. Skylights rated under this procedure may be present in the marketplace until March 31, 2008. NFRC labels for products using this procedure state: "RES97 rated at 90 degrees."